W

	Application No.	Applicant(s)		
Notice of Allowability	10/065,382	WANG ET AL.		
	Examiner	Art Unit		
	Dawn Garrett	1774	0	
		<u></u>		
The MAILING DATE of this communication appears of the communication appears to the communication app	(OR REMAINS) CLOSED in this application or other appropriate communication IGHTS. This application is subject to 3 and MPEP 1308.	will be mailed in due	course. THIS	
1. $igotimes$ This communication is responsive to <u>the request for recon</u>	sideration dated 2-19-2004.			
2. ☑ The allowed claim(s) is/are <u>1-16</u> .				
3. $igotimes$ The drawings filed on <u>11 October 2002</u> are accepted by th				
 Acknowledgment is made of a claim for foreign priority u a)	e been received.			
2. Certified copies of the priority documents have	e been received in Application No	·		
3. Copies of the certified copies of the priority do	ocuments have been received in this	national stage applica	ation from the	
International Bureau (PCT Rule 17.2(a)).				
* Certified copies not received:			•	
Applicant has THREE MONTHS FROM THE "MAILING DATE" noted below. Failure to timely comply will result in ABANDONI THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.	' of this communication to file a reply MENT of this application.	complying with the re	quirements	
5. A SUBSTITUTE OATH OR DECLARATION must be subminFORMAL PATENT APPLICATION (PTO-152) which give	nitted. Note the attached EXAMINER ves reason(s) why the oath or declara	C'S AMENDMENT or It ation is deficient.	NOTICE OF	
6. CORRECTED DRAWINGS (as "replacement sheets") mu				
(a) \square including changes required by the Notice of Draftsper		-948) attached		
1) 🗌 hereto or 2) 🗌 to Paper No./Mail Date				
(b) ☐ including changes required by the attached Examined Paper No./Mail Date				
Identifying indicia such as the application number (see 37 CFR each sheet. Replacement sheet(s) should be labeled as such in	1.84(c)) should be written on the draw the header according to 37 CFR 1.121	ings in the front (not th (d).	e back) of	
7. DEPOSIT OF and/or INFORMATION about the department attached Examiner's comment regarding REQUIREMENT	OSIT OF BIOLOGICAL MATERIAL FFOR THE DEPOSIT OF BIOLOGIC	must be submitted. CAL MATERIAL.	Note the	
		* *		
,				
Attachment(s) 1. ☐ Notice of References Cited (PTO-892)	5. Notice of Informal	Patent Application (P	ГО-152)	
 Notice of Nederlands Great (170-002) Notice of Draftperson's Patent Drawing Review (PTO-948) 	<u> </u>			
3. Information Disclosure Statements (PTO-1449 or PTO/SB	Paper No./Mail Da	Paper No./Mail Date 7.		
Paper No./Mail Date 4. Examiner's Comment Regarding Requirement for Deposit			lowance	
of Biological Material	9. Other		4	
		•		

Application/Control Number: 10/065,382

Art Unit: 17:74.

Reasons for Allowance

1. The following is an examiner's statement of reasons for allowance:

The closest prior art is considered to be Aziz et al. (U.S. 6,392,250), which teaches an organic electroluminescent device comprising a multi-layered hole transport region but does not discuss the property of hole mobility (see col. 9, lines 34-36). Aziz et al. fails to teach or to render obvious either alone or in combination with other prior art a device with one each of a hole injecting layer, hole transporting layer, and an <u>intermediate layer</u> between the hole injecting layer and the hole transporting layer with the <u>particular hole mobility relationship</u> to the hole injecting layer and the hole transporting layer as required by independent claims 1 and 9. Accordingly, claims 1-16 are allowed.

- 2. Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."
- 3. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Dawn Garrett whose telephone number is 571-272-1523. The examiner can normally be reached Monday through Friday during normal business hours. Please allow the examiner twenty-four hours to return your call.

If reasonable attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Cynthia Kelly, can be reached at 571-272-1526. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Application/Control Number: 10/065,382

Art Unit: 1774

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

DAWN GARRETT
EXAMINER
ART UNIT 1774

D.G. May 5, 2004